



PC Based DVR

DIGITAL SECURITY SYSTEMS

FEATURES & SPECIFICATIONS

TE-GV600 16ch Capture Card



SYSTEM REQUIREMENTS:



● **System requirement:**

OS: Windows 2000/XP
CPU: P4 1.8 or higher
Memory: 256M DDR
Hard disk: 80G
Mother board: Based on Intel 845 chipset or higher.
VGA card: ATI Radeon 9000 or higher,
64/128RAM
Windows Directx8.0 or above

- Compression format
MPEG4 software compression
Display and record resolution 352*288
1-16 channels video input, 30f/s per card. Max 1 card.
1-ch audio input
150-200M/h hard disk required
- Alarm control
8 or 16 channels alarm input/output (optional)
Automatic record when alarm start up
Can control automatic record time when alarm start up.
Support motion detection and alarm area stable.
Automatic record when motion detection start up.
- P/T/Z control
Support kinds protocol of decoder (KALATEL, PELCO, PHILIPS, UNIVISION, VICON, etc.)
- Remote control
Support transmit the video signal through LAN, PSTN, ADSL, ISDN, etc.
Support remote replay Playback record files at remote side.
Support P/T/Z control at remote side.
Support IE browse. Built-in web server
- Function
1 channels real time record or 16 channels unreal time record in MPEG4 format
Selectable schedule record, manual record, motion detect start record alarm start record.
Record frames stable
Record files keep at local hard disk, also support moveable hard disk CDR/W to keep the record files
Search based data, event and channel. Diff speed F.FW and F.FB
Support frame capture and electronics zoom in/out
Support Electronics map and watermark